



SANKYO FLUTES

Price List



Not even a single tiny piece
is ever neglected.

This arises from the pride of
the craftsmen, who continue
to be innovators.

The company was founded by skilled craftsmen who had the simple desire to create quality flutes. It is this that makes Sankyo Flutes so special. Our flutes, made with the technique, passion, and pride of the craftsmen, exude such an overpowering presence that we hesitate to call it a mere “musical instrument”. Even the tiniest of pieces that need to be lifted with tweezers are so beautifully crafted that ever they are like works of art. The secret behind this craftsmanship is that nothing is neglected in the manufacturing process.

Research starts from the composition of the metal of the material, and after working on improvements in cooperation with flutists everywhere in the world, the flutes are then polished in the hands of the highly skilled craftsmen. Work which is usually entrusted to the service of subcontractors, such as the fusing of the metals, the molding of the parts, as well as the plating, are all carried out within the company in order to ensure a quality which is completely satisfactory.

All of the models which are made from the meticulously crafted parts, and which are carefully assembled by hand, are comparable to any other high-class model. With the daily commitment to not allow any compromise, the craftsman has transcended to the level of artisan and brings forth innovative techniques and original products.

And, only the flute that is completed within the palms of the artisan who pursues his ideal is one that has dignified beauty and an endlessly transparent and rich tone.


This is the pride of SANKYO FLUTES.

(Additionally, in tailoring to the demands of the times and the situations at concerts in Japan and abroad, the flutes are pitched to A=442HZ)


Sankyo Model Overview





24K gold headjoint, body, foot with 14K or 18K gold posts, plates & keys.
Soldered tone holes. Tubing 0.28 or 0.30 mm.




24K gold headjoint, body, foot, ring with 14K gold posts and plates, silver keys. 10K white gold springs.
Soldered tone holes. Tubing 0.28 or 0.30 mm.
Completely 18K gold. Soldered tone holes.
Tubing 0.30 mm.




18K gold headjoint, body, footpiece, ring, posts and plates.
Sterling silver keys. Soldered tone holes. Tubing 0.30 mm.




18K gold headjoint, body, footjoint and ring. Sterling silver keys.
Soldered tone holes. Tubing 0.30 mm.




Completely 14K gold. Soldered tone holes. Tubing 0.30 mm.




14K gold headjoint, body, footjoint, rings, posts and plates.
Sterling silver keys. Soldered tone holes. Tubing 0.30 mm.




14K gold headjoint, body, footjoint and rings. Sterling silver keys.
Soldered tone holes. Tubing 0.30 mm.




10K gold headjoint, body and footjoint. Sterling silver keys.
Drawn tones. Tubing 0.33 mm.




Super Solid Silver (AG 997) headjoint, body, footjoint and keys.
10K white gold springs. Soldered tone holes. Tubing 0.38 mm.




AG950 silver headjoint, body and footjoint. Traditional sterling silver keys and lip plate. 10K white gold springs. Drawn tone holes. Tubing 0.40 mm.




AG950 silver headjoint, body and footjoint. Traditional sterling silver keys and lip plate. 10K white gold springs. Drawn tone holes. Tubing 0.40 mm.




Sterling silver headjoint, body, footjoint and keys. Silver-plated.
10K white gold springs. Drawn tone holes. Tubing 0.38 mm.




Sterling silver headjoint, body, footjoint and keys. Silver-plated.
10K white gold springs. Drawn tone holes. Tubing 0.38 mm.



Sterling silver headjoint, body, footjoint and keys. Silver plated.
Drawn tone holes. Tubing 0.38 mm.



Sterling silver headjoint, body and footjoint. Nickel silver keys.
Silver plated. Drawn tone holes. Tubing 0.38 mm.



Sterling silver headjoint, nickel silver body and keys.
Silver-plated. Drawn tone holes. Tubing 0.40 mm.

Sankyo Flutes

Item No. Description RRP €

Model 201

Sterling silver headjoint. Nickel silver body. Foot joint and keys silver-plated. Drawn toneholes. Tubing 0.40 mm.

411 500	CC E,	closed hole	3.171,00
411 505	CB E,	closed hole, B-foot	3.525,00
411 510	RC E,	open hole	3.171,00
411 515	RB E,	open hole, B-foot	3.525,00

Model 301

Sterling silver headjoint, body and footjoint. Keys nickel silver. Silver-plated. Drawn tone holes. Tubing 0.38 mm (heavy = 0.42 mm).

411 530	CC E,	closed hole	5.051,00
411 535	CB E,	closed hole, B-foot	5.530,00
411 540	RC E,	open hole	5.051,00
411 545	RB E,	open hole, B-foot	5.530,00
411 550	RBEH,	open hole, B-foot, heavy	5.856,00

Model 401

Sterling silver head joint, body, foot joint and keys. Drawn tone holes. Tubing 0.38 mm (heavy = 0.42 mm).

411 560	CC E,	closed hole	6.842,00
411 565	CC EH,	closed hole, heavy	7.155,00
411 570	CB E,	closed hole, B-foot	7.635,00
411 575	CB EH,	closed hole, B-foot, heavy	7.947,00
411 580	RC E,	open hole	6.842,00
411 585	RC EH,	open hole, heavy	7.155,00
411 590	RB E,	open hole, B-foot	7.635,00
411 595	RB EH,	open hole, B-foot, heavy	7.947,00

Model 501

Sterling silver headjoint, body, foot joint and keys. 10K whitegold springs. Drawn tone holes.

411 610	CC E,	closed hole	8.718,00
411 615	CC EH,	closed hole, heavy	9.032,00
411 620	CB E,	closed hole, B-foot	9.678,00
411 625	CB EH,	closed hole, B-foot, heavy	9.992,00
411 630	RC E,	open hole	8.718,00
411 635	RC EH,	open hole, heavy	9.032,00
411 640	RB E,	open hole, B-foot	9.678,00
411 645	RB EH,	open hole, B-foot, heavy	9.992,00

Legend from left to right:

1st letter: C = Closed hole or R = Open hole

2nd letter: C = C-foot or B = B-foot

3rd letter: E = With E-mechanism or empty = without E-mechanism

4th letter: Empty = Standard Tubing or H = Heavy Tubing

All flutes come with RT-1 headjoint as a standard.

Engraving possible against surcharge.



Sankyo Flutes

Item No. Description RRP €

Model 601

Sterling silver headjoint, body, foot joint and keys. 10K whitegold springs. Soldered tone holes. Tubing 0.38 mm (heavy = 0.42 mm).

411 660	CC E,	closed hole	10.909,00
411 665	CC EH,	closed hole, heavy	11.222,00
411 670	CB E,	closed hole, B-foot	12.136,00
411 675	CB EH,	closed hole, B-foot, heavy	12.462,00
411 680	RC E,	open hole	10.909,00
411 685	RC EH,	open hole, heavy	11.222,00
411 690	RB E,	open hole, B-foot	12.136,00
411 695	RB EH,	open hole, B-foot, heavy	12.462,00

Model 701

950 Ag silver headjoint, body and foot joint. Traditional sterling silver keys and lip plate. 10K white-gold springs. Drawn tone holes. Tubing 0.40 mm.

411 710	CC E,	closed hole	10.013,00
411 715	CB E,	closed hole, B-foot	11.056,00
411 720	RC E,	open hole	10.013,00
411 725	RB E,	open hole, B-foot	11.056,00

Model 801

950 Ag silver headjoint, body and foot joint. Traditional sterling silver keys and lip plate. 10K white-gold springs. Soldered tone holes. Tubing 0.40 mm.

411 740	CC E,	closed hole	12.120,00
411 745	CB E,	closed hole, B-foot	13.267,00
411 750	RC E,	open hole	12.120,00
411 755	RB E,	open hole, B-foot	13.267,00

Model 901

Super solid silver (997 Ag) headjoint, body, foot joint and keys. 10K white-gold springs. Soldered tone holes. Tubing 0.38 mm (heavy = 0.42 mm).

411 770	CC E,	closed hole	15.019,00
411 775	CC EH,	closed hole, heavy	15.541,00
411 780	CB E,	closed hole, B-foot	16.395,00
411 785	CB EH,	closed hole, B-foot, heavy	16.917,00
411 790	RC E,	open hole	15.019,00
411 795	RC EH,	open hole, heavy	15.541,00
411 800	RB E,	open hole, B-foot	16.395,00
411 805	RB EH,	open hole, B-foot, heavy	16.917,00
411 809	RBEH/GH,	with G/A trill	17.877,00



701

Engraving possible against surcharge.



Sankyo Gold Flutes



Item No. Description RRP €

Model 10K-2 DT Gold Flute

10K gold headjoint, body and foot joint. Sterling silver keys and rings. Drawn tone holes. Tubing 0.33 mm.

411 820	10K-2-DT CC E	30.114,00
411 825	10K-2-DT CB E	32.226,00
411 830	10K-2-DT RC E	30.114,00
411 835	10K-2-DT RB E	32.226,00

Model 10K-2 ST Gold Flute

10K gold headjoint, body and foot joint. Sterling silver keys and rings. Soldered tone holes. Tubing 0.33 mm.

411 850	10K-2-ST CC E	32.310,00
411 855	10K-2-ST CB E	35.394,00
411 860	10K-2-ST RC E	32.310,00
411 865	10K-2-ST RB E	35.394,00

Model 14K-3 DT Gold Flute

14K gold headjoint, body and foot joint. Sterling silver keys. Drawn tone holes. Tubing 0.30 mm, option H: heavy 0.35 mm.

411 880	14K-3-DT CC E	45.954,00
411 885	14K-3-DT CC EH	33.738,00
411 890	14K-3-DT CB E	48.594,00
411 895	14K-3-DT CB EH	39.778,00
411 910	14K-3-DT RC E	45.954,00
411 915	14K-3-DT RC EH	37.534,00
411 920	14K-3-DT RB E	48.594,00
411 925	14K-3-DT RB EH	39.778,00

Model 14K-3 ST Gold Flute

14K gold headjoint, body and foot joint. Sterling silver keys. Soldered tone holes. Tubing 0.30 mm, option H: heavy 0.35 mm.

411 940	14K-4-ST CC E	51.960,00
411 945	14K-4-ST CC EH	44.813,00
411 950	14K-4-ST CB E	55.110,00
411 955	14K-4-ST CB EH	47.626,00
411 970	14K-4-ST RC E	51.960,00
411 975	14K-4-ST RC EH	44.813,00
411 980	14K-4-ST RB E	55.110,00
411 985	14K-4-ST RB EH	47.626,00



10K-2-DT RB E



14K-5-DT RB E

Engraving possible against surcharge.

Sankyo Gold Flutes



Item No. Description RRP €

Model 14K-4 DT Gold Flute

14K gold headjoint, body, foot joint, rings, posts and ribs. Sterling silver keys. Drawn tone holes. Tubing 0.30 mm, option H: heavy 0.35 mm.

412 000	14K-4-DT CC E	54.402,00
412 005	14K-4-DT CC EH	41.666,00
412 010	14K-4-DT CB E	57.570,00
412 015	14K-4-DT CB EH	43.869,00
412 030	14K-4-DT RC E	54.402,00
412 035	14K-4-DT RC EH	41.666,00
412 040	14K-4-DT RB E	57.570,00
412 045	14K-4-DT RB EH	43.869,00

Model 14K-4 ST Gold Flute

14K gold headjoint, body, foot joint, rings, posts and ribs. Sterling silver keys. Soldered tone holes. Tubing 0.30 mm, option H: heavy 0.35 mm.

412 060	14K-4-ST CC E	58.093,00
412 065	14K-4-ST CC EH	49.594,00
412 070	14K-4-ST CB E	62.322,00
412 075	14K-4-ST CB EH	52.544,00
412 090	14K-4-ST RC E	58.093,00
412 095	14K-4-ST RC EH	49.594,00
412 100	14K-4-ST RB E	62.322,00
412 105	14K-4-ST RB EH	52.544,00

Model 14K-5 DT Gold Flute

Complete 14K gold. Drawn tone holes. Tubing 0.30 mm, option H: heavy 0.35 mm.

412 120	14K-5-DT CC E	92.523,00
412 125	14K-5-DT CC EH	74.734,00
412 130	14K-5-DT CB E	99.510,00
412 135	14K-5-DT CB EH	80.144,00
412 150	14K-5-DT RC E	92.523,00
412 155	14K-5-DT RC EH	74.734,00
412 160	14K-5-DT RB E	99.510,00
412 165	14K-5-DT RB EH	80.144,00

Model 14K-5 ST Gold Flute

Complete 14K gold. Soldered tone holes. Tubing 0.30 mm, option H: heavy 0.35 mm.

412 180	14K-5-ST CC E	98.059,00
412 185	14K-5-ST CC EH	83.960,00
412 190	14K-5-ST CB E	106.006,00
412 195	14K-5-ST CB EH	89.744,00
412 210	14K-5-ST RC E	98.059,00
412 215	14K-5-ST RC EH	83.960,00
412 220	14K-5-ST RB E	106.006,00
412 225	14K-5-ST RB EH	89.744,00

Sankyo Gold Flutes



Item No. Description RRP €

Model 18K-3 DT Gold Flute

18K gold headjoint, body and foot joint. Sterling silver keys. Drawn tone holes. Tubing 0.30 mm, option H: heavy 0.35 mm.

412 240	18K-3-DT CC E	74.994,00
412 245	18K-3-DT CC EH	52.328,00
412 250	18K-3-DT CB E	80.150,00
412 255	18K-3-DT CB EH	52.328,00
412 270	18K-3-DT RC E	74.994,00
412 275	18K-3-DT RC EH	52.328,00
412 280	18K-3-DT RB E	80.150,00
412 285	18K-3-DT RBE H	52.328,00

Model 18K-3 ST Gold Flute

18K gold headjoint, body and foot joint. Sterling silver keys. Soldered tone holes. Tubing 0.30 mm, option H: heavy 0.35 mm.

412 300	18K-3-ST CC E	79.218,00
412 305	18K-3-ST CC EH	67.102,00
412 310	18K-3-ST CB E	85.448,00
412 315	18K-3-ST CB EH	67.102,00
412 330	18K-3-ST RC E	79.218,00
412 335	18K-3-ST RC EH	67.102,00
412 340	18K-3-ST RB E	85.448,00
412 345	18K-3-ST RB EH	67.102,00

Model 18K-4 DT Gold Flute

18K gold headjoint, body, foot joint, rings, posts and ribs. Sterling silver keys. Drawn tone holes. Tubing 0.30 mm, option H: heavy 0.35 mm.

412 360	18K-4-DT CC E	88.088,00
412 365	18K-4-DT CC EH	59.488,00
412 370	18K-4-DT CB E	93.790,00
412 375	18K-4-DT CB EH	59.488,00
412 390	18K-4-DT RC E	88.088,00
412 395	18K-4-DT RC EH	59.488,00
412 400	18K-4-DT RB E	93.790,00
412 405	18K-4-DT RB EH	59.488,00

Model 18K-4 ST Gold Flute

18K gold headjoint, body, foot joint, rings, posts and ribs. Sterling silver keys. Soldered tone holes. Tubing 0.30 mm, option H: heavy 0.35 mm.

412 420	18K-4-ST CC E	95.139,00
412 425	18K-4-ST CC EH	75.344,00
412 430	18K-4-ST CB E	102.858,00
412 435	18K-4-ST CB EH	75.344,00
412 450	18K-4-ST RC E	95.139,00
412 455	18K-4-ST RC EH	75.344,00
412 465	18K-4-ST RB E	102.858,00
412 470	18K-4-ST RB EH	75.344,00

Sankyo Gold Flutes



Item No. Description RRP €

Model 18K-5 DT Gold Flute



Complete 18K gold. Drawn tone holes. Tubing 0.30 mm, option H: heavy 0.35 mm.

412 485	18K-5-DT CC E	145.517,00
412 490	18K-5-DT CC EH	106.938,00
412 495	18K-5-DT CB E	158.136,00
412 500	18K-5-DT CB EH	106.938,00
412 515	18K-5-DT RC E	145.517,00
412 520	18K-5-DT RC EH	106.938,00
412 525	18K-5-DT RB E	158.136,00
412 530	18K-5-DT RB EH	106.938,00

Model 18K-5 ST Gold Flute

Complete 18K gold. Soldered tone holes. Tubing 0.30 mm, option H: heavy 0.35 mm.

412 545	18K-5-ST CC E	148.579,00
412 550	18K-5-ST CC EH	121.082,00
412 555	18K-5-ST CB E	163.011,00
412 560	18K-5-ST CB EH	121.082,00
412 575	18K-5-ST RC E	148.579,00
412 580	18K-5-ST RC EH	121.082,00
412 590	18K-5-ST RB E	158.594,00
412 595	18K-5-ST RB EH	121.082,00



A) Drawn and rolled tone holes.

The work of drawing the material from the tube to make the holes and rolling the rim is done by skillful craftsmen. Because the structure is integrated into the body, there is no need to be concerned with the deterioration of connected pieces, and the sound is light and legato is easily produced.

B) Soldered tone holes.

The cups which are attached separately are soldered one by one onto the tube to the precision of a micro unit. This method allows for consistency in the thickness of the tube and offers a superior sensitivity and durability in addition to a more solid thick sound.

Sankyo Gold Flutes



Item No. Description RRP €

Model 24K-S ST Gold Flute

24K gold headjoint, body, foot joint and rings. 14K gold posts and ribs. Silver keys. 10K white gold springs. Soldered tone holes. Tubing 0.28, option H: heavy 0.30 mm.

412 610	24K-S-ST CC E	145.534,00
412 615	24K-S-ST CC EH	91.475,00
412 620	24K-S-ST CB E	159.843,00
412 625	24K-S-ST CB EH	96.906,00
412 640	24K-S-ST RC E	145.534,00
412 645	24K-S-ST RC EH	91.475,00
412 650	24K-S-ST RB E	159.843,00
412 655	24K-S-ST RB EH	96.906,00

Model 24K-14 ST Gold Flute

24K gold headjoint, body, foot joint and rings. 14K gold posts, ribs and keys. 10K white gold springs. Soldered tone holes. Tubing 0.28, option H: heavy 0.30 mm.

412 670	24K-14-ST CC E	195.800,00
412 675	24K-14-ST CC EH	127.437,00
412 680	24K-14-ST CB E	218.610,00
412 685	24K-14-ST CB EH	135.994,00
412 700	24K-14-ST RC E	195.800,00
412 705	24K-14-ST RC EH	127.437,00
412 715	24K-14-ST RB E	218.610,00
412 720	24K-14-ST RB EH	135.994,00

Model 24K-18 ST Gold Flute

24K gold headjoint, body, foot joint and rings. 18K gold posts, ribs and keys. 10K white gold springs. Soldered tone holes. Tubing 0.28, option H: heavy 0.30 mm.

412 735	24K-18-ST CC E	201.485,00
412 740	24K-18-ST CC EH	146.578,00
412 745	24K-18-ST CB E	230.138,00
412 750	24K-18-ST CB EH	156.747,00
412 765	24K-18-ST RC E	201.485,00
412 770	24K-18-ST RC EH	146.578,00
412 775	24K-18-ST RB E	230.138,00
412 780	24K-18-ST RB EH	156.747,00

Engraving possible against surcharge.



SANKYO FLUTES

Sankyo Flutes



Item No. Description RRP €

Sankyo Wooden Flute

Grenadilla WF-G-MJ

Wooden Flute WF-G-MJ = headjoint and body Grenadilla wood. Keys sterling silver. Metal joint. Traditionel cut headjoint or with lip plate. E-mechanism.

412 900	CCE, closed hole	15.606,00
412 905	RCE, ring valves	15.606,00
412 910	RBE, ring valves, B-foot	16.626,00
412 912	RBE/LP, ring valves, B-foot, lip plate	16.626,00

Mopane WF-M-MJ

Wooden Flute WF-M-MJ = headjoint and body Mopane wood. Keys sterling silver. Metal joint. Traditionel cut headjoint or with lip plate. E-mechanism.

412 920	RBE, ring valves, B-foot	19.808,00
412 922	RBE/LP, ring valves, B-foot, lip plate	19.808,00

Sankyo Alto Flute

Model AF 201

Nickel silver body and keys. Sterling silver headjoint. Silver-plated finish. E-mechanism.

412 990	E/S, straight	10.211,00
412 995	E/C, curved	10.813,00

Model AF 301

Sterling Silver body and keys. Sterling silver headjoint. Silver-plated finish. E-mechanism.

413 000	E/S, straight	12.285,00
413 005	E/C, curved	13.021,00

Model AF 401

Sterling silver headjoint, body, foot joint and keys. Silver-plated finish. E-mechanism.

413 010	E/S, straight	15.517,00
413 015	E/C, curved	15.986,00

Sankyo Bass Flute

Model BF

413 040	BF 101	16.275,00
413 042	BF 201	18.461,00

Sankyo Piccolo Flute

Model P 301/401

Headjoint, body and keys sterling silver, soldered tone holes Tubing 0.40 mm.

413 055	P401	7.882,00
---------	------	----------



SANKYO FLUTES

Sankyo Flute Headjoints



Engraving possible against surcharge.

Sankyo Flute Headjoints

The head joint and embouchure hole are considered the most important parts of the flute since they enable the flutist to produce and control the sound. With SANKYO head joints both edges of the embouchure have been slightly rounded and the plate height and embouchure have been altered to allow for a larger and richer variety of tones. SANKYO offers several types of head joints to suit the preference of different flutists. All head joints are available in the following materials.

FT Headjoint

FT head joint style is designed to offer a stable and an even sound quality across the registers. Its lush tone colors in upper register is notable.

ST Headjoint

The ST headjoint is the classic SANKYO headjoint. It offers a very wide range of timbres, is balanced across all registers and is easy to control.

RT Headjoints

The RT headjoint family contains three design variations on the modern Sankyo original lip plate. This family features deeper tone colors in the lower register and an impressive response across the registers with this original lip plate. This family consists of three different options, designated by RT-1, RT-2 and RT-3:

- RT-1 Favoring the lower register, this headjoint will facilitate dynamic tones.
- RT-2 Sankyo's newest headjoint style, featuring a good combination of RT-1 and RT-3 element, provides a balanced resonance throughout registers.
- RT-3 This headjoint favors the upper register and promotes brilliant tone colors.

Material Combinations

SANKYO offers the headjoints in different material combinations:

- Silver 925 | 950 | 997
- Gold 10K | 14K | 18K | 24K
- Lip plate in gold 10K | 14K | 18K | 24K
- Riser in gold 14K | 18K | 24K

Wooden Headjoints

SANKYO wooden headjoints made of natural grenadilla are a wonderful alternative to metal headjoints on any flute. Convince yourself of the warm, soft sound of the wooden headjoints:

- TC - Traditional Cut This headjoint has the classic shape that produces the famous soft sound of the wooden flute.
- MC - Modern Cut A powerful sound and a distinctive shape are typical of this headjoint.
- LP - Lip Plate This headjoint has a very balanced sound across all registers. The lip plate gives an embouchure feeling that is close to the metal headjoint.

Sankyo Flute Headjoints



Item No.

Model

Lip pl.

Riser/Tubing mm

RRP €

RT Headjoint AG925

413 200	RT-1-925	L925	R925/0.38	1.067,00
413 202	RT-1-925	L925	R14K/0.38	2.341,00
413 204	RT-1-925	L925	R18K/0.38	3.213,00
413 206	RT-1-925	L925	R24K/0.38	4.389,00
413 210	RT-1-925	L925	R925/0.42	1.242,00
413 212	RT-1-925	L925	R14K/0.42	2.464,00
413 214	RT-1-925	L925	R18K/0.42	3.389,00
413 216	RT-1-925	L925	R24K/0.42	4.566,00
413 220	RT-1-925	L925	R925/0.46	1.350,00
413 222	RT-1-925	L925	R14K/0.46	2.570,00
413 224	RT-1-925	L925	R18K/0.46	3.457,00
413 226	RT-1-925	L925	R24K/0.46	4.651,00
413 230	RT-1-925	L10K	R10K/0.38	3.467,00
413 232	RT-1-925	L14K	R14K/0.38	5.051,00
413 234	RT-1-925	L18K	R18K/0.38	7.269,00
413 236	RT-1-925	L24K	R24K/0.38	7.882,00
413 240	RT-1-925	L10K	R10K/0.42	3.590,00
413 242	RT-1-925	L14K	R14K/0.42	5.174,00
413 244	RT-1-925	L18K	R18K/0.42	7.392,00
413 246	RT-1-925	L24K	R24K/0.42	8.054,00
413 250	RT-1-925	L10K	R10K/0.46	3.696,00
413 252	RT-1-925	L14K	R14K/0.46	5.280,00
413 254	RT-1-925	L18K	R18K/0.46	7.498,00
413 256	RT-1-925	L24K	R24K/0.46	8.163,00
413 270	RT-1-925	L925	RPlatin	2.960,00

RT Headjoint AG950

413 400	RT-1-950	L950	R950/0.40	1.242,00
---------	----------	------	-----------	----------

RT Headjoint AG997

413 410	RT-1-997	L997	R997/0.38	1.523,00
413 412	RT-1-997	L997	R14K/0.38	2.576,00
413 414	RT-1-997	L997	R18K/0.38	3.949,00
413 416	RT-1-997	L997	R24K/0.38	3.222,00
413 420	RT-1-997	L997	R997/0.42	1.763,00
413 422	RT-1-997	L997	R14K/0.42	2.774,00
413 424	RT-1-997	L997	R18K/0.42	4.147,00
413 426	RT-1-997	L997	R24K/0.42	3.461,00
413 430	RT-1-997	L10K	R10K/0.38	3.549,00
413 432	RT-1-997	L14K	R14K/0.38	5.914,00
413 434	RT-1-997	L18K	R18K/0.38	7.146,00
413 436	RT-1-997	L24K	R24K/0.38	8.338,00
413 440	RT-1-997	L10K	R10K/0.42	3.789,00
413 442	RT-1-997	L14K	R14K/0.42	5.832,00
413 444	RT-1-997	L18K	R18K/0.42	6.758,00
413 446	RT-1-997	L24K	R24K/0.42	8.578,00

Sankyo Flute Headjoints



Item No.

Model

Lip pl.

Riser/Tubing mm

RRP €

RT Headjoint 10K

413 530	RT-1-10K	L10K	R10K/0.33	10.560,00
413 532	RT-1-10K	L10K	R14K/0.33	7.659,00
413 534	RT-1-10K	L10K	R18K/0.33	7.931,00
413 536	RT-1-10K	L10K	R24K/0.33	8.645,00
413 540	RT-1-10K	L14K	R14K/0.33	8.960,00
413 542	RT-1-10K	L18K	R18K/0.33	10.491,00
413 544	RT-1-10K	L24K	R24K/0.33	13.051,00

RT Headjoint 14K

413 590	RT-1-14K	L14K	R14K/0.30	16.368,00
413 592	RT-1-14K	L14K	R18K/0.30	10.178,00
413 594	RT-1-14K	L14K	R24K/0.30	10.827,00
413 600	RT-1-14K	L14K	R14K/0.35	11.603,00
413 602	RT-1-14K	L14K	R18K/0.35	11.898,00
413 604	RT-1-14K	L14K	R24K/0.35	12.549,00
413 610	RT-1-14K	L18K	R18K/0.30	11.310,00
413 612	RT-1-14K	L24K	R24K/0.30	13.661,00
413 616	RT-1-14K	L18K	R18K/0.35	13.030,00
413 618	RT-1-14K	L24K	R24K/0.35	15.381,00

RT Headjoint 18K

413 676	RT-1-18K	L18K	R18K/0.30	25.098,00
413 678	RT-1-18K	L18K	R24K/0.30	18.026,00
413 688	RT-1-18K	L24K	R24K/0.30	19.976,00

RT Headjoint 24K

413 730	RT-1-24K	L24K	R24K/0.30	31.645,00
---------	----------	------	-----------	-----------

RT2 | RT3 models available at the same price!

Material Combinations


SANKYO offers the headjoints in different material combinations:

Silver 925 | 950 | 997

Gold 10K | 14K | 18K | 24K

Lip plate in gold 10K | 14K | 18K | 24K

Riser in gold 14K | 18K | 24K



Sankyo Flute Headjoints



Item No. Model Lip pl. Riser/Tubing mm RRP €

ST Headjoint AG925

413 880	ST-925	L925	R925/0.38	1.067,00
413 882	ST-925	L925	R14K/0.38	2.341,00
413 884	ST-925	L925	R18K/0.38	3.213,00
413 886	ST-925	L925	R24K/0.38	4.389,00
413 890	ST-925	L925	R925/0.42	1.242,00
413 892	ST-925	L925	R14K/0.42	2.341,00
413 894	ST-925	L925	R18K/0.42	3.387,00
413 896	ST-925	L925	R24K/0.42	4.565,00
413 900	ST-925	L925	R925/0.46	1.350,00
413 902	ST-925	L925	R14K/0.46	2.426,00
413 904	ST-925	L925	R18K/0.46	3.474,00
413 906	ST-925	L925	R24K/0.46	4.650,00
413 910	ST-925	L10K	R10K/0.38	3.467,00
413 912	ST-925	L14K	R14K/0.38	5.051,00
413 914	ST-925	L18K	R18K/0.38	7.269,00
413 916	ST-925	L24K	R24K/0.38	7.882,00
413 920	ST-925	L10K	R10K/0.42	3.243,00
413 922	ST-925	L14K	R14K/0.42	4.806,00
413 924	ST-925	L18K	R18K/0.42	6.838,00
413 926	ST-925	L24K	R24K/0.42	8.054,00
413 930	ST-925	L10K	R10K/0.46	3.352,00
413 932	ST-925	L14K	R14K/0.46	4.891,00
413 934	ST-925	L18K	R18K/0.46	6.923,00
413 936	ST-925	L24K	R24K/0.46	8.163,00

ST Headjoint AG997

414 050	ST-997	L997	R997/0.38	1.523,00
414 052	ST-997	L997	R14K/0.38	2.576,00
414 054	ST-997	L997	R18K/0.38	3.949,00
414 056	ST-997	L997	R24K/0.38	3.222,00
414 060	ST-997	L997	R997/0.42	1.763,00
414 062	ST-997	L997	R14K/0.42	2.774,00
414 064	ST-997	L997	R18K/0.42	4.147,00
414 066	ST-997	L997	R24K/0.42	3.461,00
414 070	ST-997	L10K	R10K/0.38	3.549,00
414 072	ST-997	L14K	R14K/0.38	5.914,00
414 074	ST-997	L18K	R18K/0.38	7.146,00
414 076	ST-997	L24K	R24K/0.38	8.338,00
414 080	ST-997	L10K	R10K/0.42	3.789,00
414 082	ST-997	L14K	R14K/0.42	5.832,00
414 084	ST-997	L18K	R18K/0.42	6.758,00
414 086	ST-997	L24K	R24K/0.42	8.578,00

Sankyo Flute Headjoints



Item No. Model Lip pl. Riser/Tubing mm RRP €

ST Headjoint 10K

414 150	ST-10K	L10K	R10K/0.33	10.560,00
414 152	ST-10K	L10K	R14K/0.33	7.659,00
414 154	ST-10K	L10K	R18K/0.33	7.931,00
414 156	ST-10K	L10K	R24K/0.33	8.645,00
414 160	ST-10K	L14K	R14K/0.33	8.960,00
414 162	ST-10K	L18K	R18K/0.33	10.491,00
414 164	ST-10K	L24K	R24K/0.33	13.051,00

ST Headjoint 14K

414 220	ST-14K	L14K	R14K/0.30	16.368,00
414 222	ST-14K	L14K	R18K/0.30	10.178,00
414 224	ST-14K	L14K	R24K/0.30	10.827,00
414 228	ST-14K	L14K	R14K/0.35	11.603,00
414 232	ST-14K	L14K	R24K/0.35	12.549,00
414 236	ST-14K	L18K	R18K/0.30	11.310,00
414 238	ST-14K	L24K	R24K/0.30	13.661,00
414 242	ST-14K	L18K	R18K/0.35	13.030,00
414 244	ST-14K	L24K	R24K/0.35	15.381,00

ST Headjoint 18K


414 294	ST-18K	L18K	R18K/0.30	25.098,00
414 296	ST-18K	L18K	R24K/0.30	18.026,00
414 306	ST-18K	L24K	R24K/0.30	19.976,00

ST Headjoint 24K

414 332	ST-24K	L24K	R24K/0.30	31.645,00
---------	--------	------	-----------	-----------

Material Combinations

SANKYO offers the headjoints in different material combinations:
 Silver 925 | 950 | 997
 Gold 10K | 14K | 18K | 24K
 Lip plate in gold 10K | 14K | 18K | 24K
 Riser in gold 14K | 18K | 24K



Sankyo Flute Headjoints



Item No.

Model

Lip pl.

Riser/Tubing mm

RRP €

FT Headjoint AG925

414 400	FT-925	L925	R925/0.38	1.067,00
414 402	FT-925	L925	R14K/0.38	2.341,00
414 404	FT-925	L925	R18K/0.38	3.213,00
414 406	FT-925	L925	R24K/0.38	4.389,00
414 410	FT-925	L925	R925/0.42	1.242,00
414 412	FT-925	L925	R14K/0.42	2.341,00
414 414	FT-925	L925	R18K/0.42	3.387,00
414 416	FT-925	L925	R24K/0.42	4.565,00
414 420	FT-925	L925	R925/0.46	1.350,00
414 422	FT-925	L925	R14K/0.46	2.426,00
414 424	FT-925	L925	R18K/0.46	2.426,00
414 426	FT-925	L925	R24K/0.46	4.650,00
414 430	FT-925	L10K	R10K/0.38	3.467,00
414 432	FT-925	L14K	R14K/0.38	5.051,00
414 434	FT-925	L18K	R18K/0.38	7.269,00
414 436	FT-925	L24K	R24K/0.38	7.882,00
414 440	FT-925	L10K	R10K/0.42	3.243,00
414 442	FT-925	L14K	R14K/0.42	4.806,00
414 444	FT-925	L18K	R18K/0.42	6.838,00
414 446	FT-925	L24K	R24K/0.42	8.054,00
414 450	FT-925	L10K	R10K/0.46	3.352,00
414 452	FT-925	L14K	R14K/0.46	4.891,00
414 454	FT-925	L18K	R18K/0.46	6.923,00
414 456	FT-925	L24K	R24K/0.46	8.163,00

FT Headjoint AG950

414 500	FT-950	L950	R950/0.40	1.242,00
---------	--------	------	-----------	----------

FT Headjoint AG997

414 512	FT-997	L997	R14K/0.38	2.576,00
414 514	FT-997	L997	R18K/0.38	3.949,00
414 516	FT-997	L997	R24K/0.38	3.222,00
414 520	FT-997	L997	R997/0.42	1.763,00
414 522	FT-997	L997	R14K/0.42	2.774,00
414 524	FT-997	L997	R18K/0.42	4.147,00
414 526	FT-997	L997	R24K/0.42	3.461,00
414 532	FT-997	L14K	R14K/0.38	5.914,00
414 534	FT-997	L18K	R18K/0.38	7.146,00
414 536	FT-997	L24K	R24K/0.38	8.338,00
414 542	FT-997	L14K	R14K/0.42	5.832,00
414 544	FT-997	L18K	R18K/0.42	6.758,00
414 546	FT-997	L24K	R24K/0.42	8.578,00

Sankyo Flute Headjoints



Item No.

Model

Lip pl.

Riser/Tubing mm

RRP €

FT Headjoint 14K

414 690	FT-14K	L14K	R14K/0.30	16.368,00
414 692	FT-14K	L14K	R18K/0.30	10.178,00
414 694	FT-14K	L14K	R24K/0.30	10.827,00
414 700	FT-14K	L14K	R14K/0.35	11.603,00
414 702	FT-14K	L14K	R18K/0.35	11.898,00
414 704	FT-14K	L14K	R24K/0.35	12.549,00
414 710	FT-14K	L18K	R18K/0.30	11.310,00
414 712	FT-14K	L24K	R24K/0.30	13.661,00
414 716	FT-14K	L18K	R18K/0.35	13.030,00
414 718	FT-14K	L24K	R24K/0.35	15.381,00

FT Headjoint 18K

414 776	FT-18K	L18K	R18K/0.30	25.098,00
414 778	FT-18K	L18K	R24K/0.30	18.026,00
414 788	FT-18K	L24K	R24K/0.30	19.976,00

FT Headjoint 24K

414 830	FT-24K	L24K	R24K/0.30	31.645,00
---------	--------	------	-----------	-----------

Wood Headjoint Lip Plate

Grenadilla wood.				
414 900	Lip Plate (LP)			2.221,00

Wood Head

Grenadilla wood.				
414 905	Modern Cut (MC)			2.221,00
414 910	Traditional Cut (TC)			2.221,00

Material Combinations


SANKYO offers the headjoints in different material combinations:

Silver 925 | 950 | 997

Gold 10K | 14K | 18K | 24K

Lip plate in gold 10K | 14K | 18K | 24K

Riser in gold 14K | 18K | 24K





Info@stoelzel-music.de
www.stoelzel-music.de
www.sankyo-floeten.de
www.sankyoflute.com

